

bulletin board®



pinboard linoleum



creating better environments



2186 | blanched almond 2214 | blue berry 3363 | walton lilac

PINBOARD LINOLEUM

Pinboard linoleum or BULLETIN BOARD offers a practical, simple solution to collect and exchange thoughts and ideas whenever people plan, create and meet. Simply share your thoughts by pinning your idea onto the wall. BULLETIN BOARD is an all-natural material that can be applied in framed or mounted pin boards or directly onto the wall. Its surface is tactile and colourful, creating a decorative element in your space, along with being a practical aid in your day to day activity.

THE **ALL NATURAL** SOLUTION TO HOLD YOUR THOUGHTS

bulletin board



NATURAL & DURABLE

BULLETIN BOARD is produced from natural and renewable raw materials. A combination of oxidised linseed oil, rosin and finely ground cork gives the product its flexibility and resilience. This combination results in a product with exceptional durability and a sustainable footprint. Its strength and resilience make BULLETIN BOARD the ideal material for pin boards, notice boards

Its strength and resilience make BULLETIN BOARD the ideal material for pin boards, notice boards and all other surfaces where ideas and information are exchanged. The pin board material retains its grip and doesn't crumble like traditional soft boards as the pinholes close after extraction of the pins due to the flexibility that characterises the material.



PRACTICAL & HYGIENIC

BULLETIN BOARD does not attract dust and has bacteriostatic properties that can stop the spread of common and not so common bacteria. This makes the product a practical solution in classrooms, for the ever changing exhibitions of children's drawings and artwork. But also a hygienic, functional solution in the healthcare environments where the 'get well' messages can be pinned.

COLOURFUL INTERIORS

BULLETIN BOARD is available in an exciting and intense range of colours that

give character and atmosphere to its environment.

The colours in the bulletin board collection have been harmonised with Forbo's offer in Marmoleum floor coverings which in turn makes them eminently suitable for combinations with other materials such as wood, stone, aluminium or plaster, creating decorative as well as functional wall surfaces.



122 cm | * also available in 183 cm





2162 | duck egg 2186 | blanched almond 2214 | blue berry 3363 | walton lilac



2186 | blanched almond 3363 | walton lilac

SOLUTIONS

WAL






2182 | potato skin 3363 | walton lilac

BULLETIN BOARD is supplied in rolls of up to 28 metres long and 1.22 metres wide, making it suitable for large installations, for example in conference rooms or alongside corridors.




DECORATIVE SOLUTIONS



2210, 2207, 2166, 2162, 2206, 2182, 2187, 2186, 3363 I walton lilac

BULLETIN BOARD is flexible and easy to cut, combine and handle, which allows you to create functional wall decorations with enchanting decorative effects. Roll material also reduces the amount of waste or joins in large installations.





SOLUTIONS

RAME

ш

2182 | potato skin 2187 | brown rice 2206 | oyster shell 2209 | black olive

Framed or mounted bulletin board can be made in single colours that fit your needs or in decorative combinations that enhance your environment. Possibilities across different sizes are ideal to hold your thoughts or expose your creativity.






SOLUTIONS FURNITURE



^{2187 |} brown rice 2213 | baby lettuce 3363 | walton lilac

BULLETIN BOARD provides ideal solutions for the modern sustainable office environment where partition walls or furniture elements can be double as functional information carriers.





APPLICATION

For detailed information about how to install, mount, edge and maintain Bulletin Board, please check the installation guide online at www.forbo-flooring.com.au/bulletinboard.



Technical specifications green building council australia

| Total Thickness | EN-ISO 24346 | 6.0 mm ± 0.25 mm |
|---|--------------|--|
| S Roll Width | EN-ISO 24341 | 1.22 m (3 colours in 1.83 m) |
| Roll Length | EN-ISO 24341 | ≤ 28 m |
| R Total Weight | EN-ISO 23997 | $4.7 \text{ kg/m}^2 \pm 10\%$ |
| Flexibility | EN-ISO 24344 | Ø 50 mm, according to method A |
| Sound absorption coefficient | EN-ISO 354 | a _w 0.1 (typical) |
| Thermal conductivity | EN 12524 | 0.10 W/m·K |
| Self-healing properties | LH000420 | yes |
| Force on pins - Perpendicular to pin direct | LH000421 | 25 N (typical) |
| Force on pins - Perpendicular to pin at 7 mm | LH000421 | 10 N (typical) |
| Force on pins - Parallel to pin (pulling the pin out) | LH000421 | 15 N (typical) |
| Bacteriostatic properties | EN-ISO 22196 | yes |
| Chemical resistance | EN-ISO 26987 | Resistant to diluted acids, oils and the most conventional solvents such as alcohol, white spirit, etc. Not resistant to prolonged exposure to alkalis. |
| 기 고 고 Dimension stability | | Due to the natural jute back, providing a strong durable foundation, the product is dimensionally stable in all directions when properly installed. It resists cracking, drying and peeling. |
| Reaction to fire | AS 4586 | Group 3 |
| Anti-static | | yes |
| Gloss | | Only available in matt colors, so that reflection caused by sunlight or artificial light is reduced. |
| Natural materials (e.g. cork, linseed oil, jute) | | 91% |
| Recycled content | | 43% |
| PVC, PET, plasticizers content | | 0% |

All Forbo Flooring Systems' sales organisations worldwide have a certified Quality Management System in accordance with ISO 9001. All Forbo Flooring Systems' manufacturing operations have a certified Environmental Management System in accordance with ISO 14001.

®



WWW.FORBO-FLOORING.COM.AU/CHO



Forbo Flooring Systems is part of the Forbo Group, a global leader in flooring and movement systems, and offers a full range of flooring products for both commercial and residential markets. High quality linoleum, vinyl, textile, flocked and entrance ooring products combine functionality, colour and design, offering you total flooring solutions for any environment.

New Zealand

Inzide Commercial Ltd 52B Arrenway Drive Rosedale 0632 Auckland New Zealand Tel: +64 9 441 9850 Free Call 0800 800 656 Fax: +64 9 441 9851 enquiries@inzide.co.nz www.inzide.co.nz

Australia

Forbo Flooring Systems Pty Ltd. 23 Ormsby Place Wetherill Park NSW 2164 Tel: +61 2 9828 0200 Free Call 1800 224 471

Free Call 1800 224 471 Fax: + 61 2 9825 3456 info.au@forbo.com www.forbo-flooring.com.au

Distributed by

VIC/TAS/SA

George Low Pty Ltd 114-118 Woodlands Drive Braeside VIC 3195

21 Computer Rd Yatala QLD 4207 T: 07 3807 4422

QLD/NSW

PR Floors

Tel: 03 9587 4222 Fax: 03 9587 4525 www.georgelow.com.au sales@georgelow.com.au T: 07 3807 4422 F: 07 3807 4451 sales@prfloors.com www.prfloors.com

FLOORING SYSTEMS

